CÔNG Tỵ TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



Fursys Education's new laboratory system will provide you with an effective space for excellent research and results.

You can store numerous laboratory equipment systematically in this state of the art research space and customize it to your research needs. Hold discussions with your colleagues in this creative laboratory to produce optimal results.

Achieve all this with Fursys Education Laboratory System.

Table Sink Storage





Laboratory System



Table

CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Laboratory tables are exposed to many different chemical substances, high temperature and pressure. This means that tables must be safe and durable. Fursys Education laboratory table comes with a chemical resistant surface and plenty of storage space, enabling safe and efficient experimentation.











CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



Products

Freestanding open laboratory table





Double-sided type TZR612FN 1230 · 1500 · 800 **TZR615FN** 1530 · 1500 · 800 TZR618FN 1830 · 1500 · 800

Single-sided type **TZR512FN** 1230 · 750 · 800 **TZR515FN** 1530 · 750 · 800 TZR518FN 1830 · 750 · 800

Connectable open laboratory table



Double-sided type (starter) TZR612FSN 1230 · 1500 · 800 TZR615FSN 1530 · 1500 · 800 TZR618FSN 1830 · 1500 · 800



Single-sided type (starter) TZR512FSN 1230.750.800 TZR515FSN 1530 · 750 · 800 TZR518FSN 1830 · 750 · 800



Double-sided type (adder) TZR612FAN 1200 · 1500 · 800 **TZR615FAN** 1500 · 1500 · 800 TZR618FAN 1800 · 1500 · 800



Single-sided type (adder) TZR512FAN 1200 · 750 · 800 TZR515FAN 1500 · 750 · 800 TZR518FAN 1800 · 750 · 800

* Width 1800 table is installed support legs. Width 1200&1500 table are not installed support legs.





Corner type TZR712FN 1200 · 1230 · 800 Connecting type



Double-sided type (ender) TZR612FEN 1200 · 1500 · 800 TZR615FEN 1500 · 1500 · 800 TZR618FEN 1800 · 1500 · 800



Single-sided type (ender) TZR512FEN 1200 · 750 · 800 TZR515FEN 1500 · 750 · 800 TZR518FEN 1800 · 750 · 800

Details



Upper cable space

Power outlets and LAN ports can be installed as required above work and other devices that do not need for re-arrangement of cables or for top, for convenient use of electronic to be moved. devices and internet.

Extendable endless type laboratory table

Fursys Education laboratory table is an endless system that is composed of 3 standard units - starter, adder, ender. These units can be added as required to extend the workspace. The more endless units you add, the more economical it is when compared to individual units. *Note that adder and ender type laboratory tables cannot be used independently.





Colors Tile



TZR712FA 1200 · 1230 · 800









Lower cable space

Magnetic catcher end tile

Use to connect analytical equipment Detachable magnetic catcher tile convenient use in the case that additional power cables are installed.





Products

Freestanding open 2-story laboratory table





Single-sided type

TZR512HN 1230 · 750 · 2000

TZR515HN 1530 · 750 · 2000

TZR518HN 1830 · 750 · 2000

Double-sided type TZR612HN 1230 · 1500 · 2000 TZR615HN 1530 · 1500 · 2000 TZR618HN 1830 · 1500 · 2000

Connectable open 2-story laboratory table



Double-sided type (starter) TZR612HSN 1230 · 1500 · 2000 TZR615HSN 1530 · 1500 · 2000 TZR618HSN 1830 · 1500 · 2000



Single-sided type (starter) **TZR512HSN** 1230 · 750 · 2000 **TZR515HSN** 1530 · 750 · 2000 **TZR518HSN** 1830 · 750 · 2000



Double-sided type (adder) **TZR612HAN** 1200 · 1500 · 2000 **TZR615HAN** 1500 · 1500 · 2000 **TZR618HAN** 1800 · 1500 · 2000



Single-sided type (adder) **TZR512HAN** 1200 · 750 · 2000 **TZR515HAN** 1500 · 750 · 2000 **TZR518HAN** 1800 · 750 · 2000

* Width 1800 table is installed support legs. Width 1200&1500 table are not installed support legs.




Corner type TZR712HN 1200 · 1230 · 2000 Connecting type **TZR712HA** 1200 · 1230 · 2000



Double-sided type (ender) TZR612HEN 1200 · 1500 · 2000 TZR615HEN 1500 · 1500 · 2000 **TZR618HEN** 1800 · 1500 · 2000

Single-sided type (ender) **TZR512HEN** 1200 · 750 · 2000 **TZR515HEN** 1500 · 750 · 2000 TZR518HEN 1800 · 750 · 2000















Tile























2-story chemical shelf

Chemical shelf with 2-story for spacious storage and convenient access to bottles and required chemicals.

Extendable endless type laboratory table

Fursys Education laboratory table is an endless system that is composed of 3 standard units - starter, adder, ender. These units can be added as required to extend the workspace. The more endless units you add, the more economical it is when compared to individual units. *Note that adder and ender type laboratory tables cannot be used independently.





CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838





Shelf has guide installed to prevent spillage of bottles and chemicals.



Support light

Support light installed to bottom of utility box ensures light can be focused on the experiment area, increasing the researcher's concentration.




Top storage type

Extendable endless type laboratory table

Fursys Education laboratory table is an endless system that is composed of 3 standard units – starter, adder, ender. These units can be added as required to extend the workspace. The more endless units you add, the more economical it is when compared to individual units.

*Note that adder and ender type laboratory tables cannot be used independently.



* Width 1800 table is installed support legs. Width 1200&1500 table are not installed support legs.

Products

Table

Freestanding laboratory table with hinged door





Double-sided type **TZR615DN** 1530 · 1500 · 2000 **TZR618DN** 1830 · 1500 · 2000



Connectable laboratory table with hinged door



Double-sided type (starter) TZR615DSN 1530 · 1500 · 2000 TZR618DSN 1830 · 1500 · 2000



Single-sided type (starter) TZR515DSN 1530 · 750 · 2000 TZR518DSN 1830 · 750 · 2000



Double-sided type (adder) **TZR615DAN** 1500 · 1500 · 2000

TZR618DAN 1800 · 1500 · 2000



Single-sided type (adder) TZR515DAN 1500 · 750 · 2000 **TZR518DAN** 1800 · 750 · 2000



Corner type shelf cabinet TZR712DN 1230 · 1230 · 2000 Connecting type shelf cabinet TZR712DA 1200 · 1230 · 2000





Double-sided type (ender) TZR615DEN 1500 · 1500 · 2000 TZR618DEN 1800 · 1500 · 2000



Single-sided type (ender) TZR515DEN 1500 · 750 · 2000 TZR518DEN 1800 · 750 · 2000



Tile

Colors





















































TZR612PN 1230 · 1500 · 2000 **TZR615PN** 1530 · 1500 · 2000 **TZR618PN** 1830 · 1500 · 2000

Connectable laboratory table with sliding door



Double-sided type (starter) TZR612PSN 1230 · 1500 · 2000 **TZR615PSN** 1530 · 1500 · 2000 TZR618PSN 1830 · 1500 · 2000



Single-sided type (starter) TZR512PSN 1230 · 750 · 2000 **TZR515PSN** 1530 · 750 · 2000 **TZR518PSN** 1830 · 750 · 2000


CUNG CẤP

NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC










Freestanding laboratory table with sliding door









CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ

WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Door selection

Top storage unit door comes in either hinged or sliding type. Handle is embedded for a simple, stylish appearance.



TZR512PN 1230 · 750 · 2000 TZR515PN 1530 · 750 · 2000 TZR518PN 1830 · 750 · 2000





Double-sided type (ender) TZR612PEN 1200 · 1500 · 2000

TZR615PEN 1500 · 1500 · 2000 TZR618PEN 1800 · 1500 · 2000



Single-sided type (ender) TZR512PEN 1200 · 750 · 2000 TZR515PEN 1500 · 750 · 2000 TZR518PEN 1800 · 750 · 2000







Products

Extension table





Double-sided type **TZR711E** 1100 · 600 · 800

Single-sided type **TZR712EN** 1200 · 600 · 800

Work table





(Portable) TZR712CN 1200.600.800



(Portable) TZR705C 530.615.1050

Fursys Education extension table, bench, cart are items that enhance lab efficiency. Extension tables and benches can be placed to increase experiment space, carts can be used for fast and safe transportation of chemical substances.

Extension table

Details



CPU holder

Adjustable CPU holder below table for efficient use of space below table.

Work table



Bottom shelf Bottom shelf can be used to store book and other items for efficient storage.

Cart



Tray (Option) Tray allows efficient storage and transpotation of items.







Colors Work table





Power tool-kit

Power tool-kits installed on top of extension table work top for easy connection of electrical and telecommunications cables.



Steel frontal guard

Guard located at lower front of table ensures privacy to create a comfortable sitting working environment.



Portability

A small, portable work table that can be combined with laboratory table to conveniently extend work space and make efficient use of space.



Urethane casters

Urethane casters at bottom of cart allow noiseless, smooth transportation.

CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838







The sink is used for both water and chemical substances. Highly chemically resistant sink bowls, a glass protector that prevents water spillage, an emergency eye washer to rinse eyes. These functions come together to enhance safety.





Glass protector A simple, stylish glass protector to prevent water from spilling over sink chemical resistance, has been used area.



Tap selection Standard tap or chemical tap can be selected according to experiment type and usage.

Products





Single-sided type (2 Bowl) TZC515KN 1500 · 500 · 800 (1000)

(1 Bowl) TZC507KN



Polypropylene sink bowl Polypropylene, which is high in for sink bowls to rinse experiment

equipment safely.



Emergency eye washer Eye washer can be installed for fast rinsing of eyes when contact is made with chemicals.

* Number inside brackets refers to height up to glass protector.



Single-sided type 750 · 750 · 800 (1000)



Double-sided type (2 Bowl) TZC606KN 600 · 1500 · 800 (1000)

Colors _{Door}
ц
ww
Surface
ECG
Body
ww

Fursys Education PRODUCTS Drying board Laboratory System

Drying board





and discoloring.

Details




Highly resistant to chemicals Phenolic laminate-chemical body and polypropylene poles for enhanced chemical resistance.

Products




T Sł Τ7



CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Drying board can be installed to wall or center of laboratory table to dry tools after use. It is made from chemical resistant material to prevent deformation



Accessory selection

Accessories can be attached to bottom of drying board for storage space.

lat type		
ZA508 600 · 103 · 720		
helf/Top storage type (Single side)		
ZA520 600 · 103 · 720		
/all type		
ZA500 600 · 103 · 720		
helf/Top storage type (Double side)		
ZA620 600 · 103 · 720		

Colors
Body
LG
Holder
ВК

Fursys Education PRODUCTS Cabinet & Drawers | Laboratory System







Products

Lower drawer cabinet







Cabinet L-type **TZC142NL** 400.520.730

Cabinet R-type TZC142NR 400.520.730

Combination storage cabinet / 3-story drawers

% For combination storage cabinet, L/R types determined by unit location.



Combination storage cabinet L-type **TZC273NL** 695 · 520 · 730 TZC283NL 815.520.730



Combination storage cabinet R-type TZC273NR 695 · 520 · 730 TZC283NR 815.520.730



3-story drawers TZP0403N 400.520.730







Fursys Education bottom storage units comes in 3 types -cabinet, 3-story drawers, combination storage unit. They help maximize efficiency of space below the laboratory table. Choose item according to size of space and usage.

Lower drawer cabinet

Details



Embedded handle design Embedded handles enhance simple look.

Combination storage cabinet / 3-story drawers



Drawer divider Divider installed inside drawer for efficient storage of small chemicals combination cabinet can be and experiment tools.

Door



Body

ww

Colors

Cabinet



Cabinet

TZC172N 695 · 520 · 730


TZC182N 815.520.730





Caster

Cabinet comes with casters on bottom for easy transportation. Can be placed according to space requirements.



Portable shelf

Portable, convenient shelf that allows storage of experiment devices and items of various sizes.

Varied layouts

Drawer cabinet, door cabinet, selected and combined according to user needs.



Embedded handle design Embedded handles enhance simple look.

Accessories









Standard tap TZA0001K (XX)

TZA0002K



(XX)





Divider TZA0101 (XX)



Power outlet 220V TZA0300N 110V TZA0302N LAN TZA0301N (XX)



CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



Gas cock **O**Vacuum TZA0303 Ocompressed air TZA0304 Steam TZA0305 (XX)



Poles on drying board TZA0000GN (BK) * 1 code = 5 ea

Colors	
XX	
ВК	



CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Laboratory for Student







Science experiments help students to see with their own eyes the information they have read in textbooks. However, students move around actively and need to handle dangerous chemical substances and equipment, making safety most important.

Fursys Education's laboratory system is sturdy and provides the best conditions for experimentation. It creates a safe experiment space where students can participate while having fun.

Fursys Education PRODUCTS Laboratory For Student

Laboratory table

2004 Good Design Korea Award 9

Table



Fursys Education laboratory table enables an efficient science class, as it considers the user, space and nature of experiment. Choose from a laboratory table for teachers with storage space, easily transportable laboratory table for students, portable laboratory table, wall unit laboratory table with plenty of storage space.





CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM . FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Laboratory table



One Key System



Staff use key / Key core • Staff use key, key core (1ea) : XX1901~1950 NL • Staff use key (1group) : XX1901K~1950K NL

SYSTEM *Separate order required (notify quantity needed). Convenient locking system with a single key operates all locking devices,

including cabinet and drawers. The flexi-key is specially designed to turn smoothly, protecting both the user and stored equipment.

Products

Teachers' unit









Sink for teachers USC063K 600 · 900 · 800







Drawers for teachers

USP0313 L/R 410 · 825 · 670



Portable laboratory table **USR9010M** 1010.600.750 **USR9010MH** 1010 · 600 · 800

| What is Chemsurf?

Chemsurf is a chemical resistant material that is used in hospitals, schools and laboratories. It is resistant to over 100 chemicals and is scratch-resistant. It prevents the growth of bacteria, staphylococcus, streptokinase, colon bacillus and pneumococcus (acquisition of ASTM G-22, American Laboratory Experiment Association).

Details



Chemsurf (Chemical resistant HPM)

Fursys Education laboratory products, including workstation, sink and side cabinet, are coated with chemical resistant HPM to prevent discoloration and damage despite continued exposure to chemicals.



Power tool-kit

Front of laboratory workstation is equipped with a 4-hole multi-tab for easy connection of electrical devices.

Portable laboratory table



Table / Cabinet / Sink / Portable table Surface | Modesty panel / Body / Door

Colors





CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Laboratory workstations for teachers

Wire management

Flexible cable cap is attached to the workstation surface and side cabinet, for ease of monitor use and PC connection.

Drawers (Pen tray included)

Inside of drawers is equipped with a full-extension rail, allowing for maximum use of drawer space. A shelf is attached to the rear of drawers for additional storage.

Casters

Laboratory table with casters enables teachers to move around the class, to maximize student participation. Casters are made of urethane for silent, smooth transportation.

Laboratory table





Products

Table

Laboratory tables for students



2-person use

USR012N

USR012NH

2-person use

/ 3D edge type)



2-person use (standard / polyurethane edge type) USR012 1200 · 600 · 750 USR012H 1200 · 600 · 800

2-person use (cable-access outlet type (cable-access outlet / polyurethane edge type) USR012C L/R 1200 · 600 · 750 USR012HC L/R 1200 · 600 · 800



3-person use (cable-access outlet type / 3D edge type) **USR018C L/R** 1800 · 600 · 750 USR018HC L/R 1800 · 600 · 800 Colors

Surface | Modesty panel



CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM

FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838

Laboratory tables for students

Details



Chemsurf (Chemical resistant HPM)

Fursys Education laboratory products, Side of laboratory table has a 2-hole including tables, sink and side multi-tab for connection of cabinet, are coated with chemical electrical devices. resistant HPM to prevent discoloration and damage despite continued exposure to chemicals.

What is Chemsurf?

Chemsurf is a chemical resistant material that is used in hospitals, schools and laboratories. It is resistant to over 100 chemicals and is scratch-resistant. It prevents the growth of bacteria, staphylococcus, streptokinase, colon bacillus and pneumococcus (acquisition of ASTM G-22, American Laboratory Experiment Association).

USR012NC L/R 1200 · 600 · 750 USR012NHC L/R 1200 · 600 · 800

(standard type / 3D edge type)

1200 · 600 · 750

1200 · 600 · 800



4-person use (cable-access outlet type / 3D edge type) **USR112C** 1200 · 900 · 750 **USR112HC** 1200 · 900 · 800



6-person use (cable-access outlet type / 3D edge type) **USR118C** 1800 · 900 · 750 **USR118HC** 1800 · 900 · 800



Power tool-kit (Cable access outlet type)



Urethane edge / 3D edge

The polyurethane molded edge on table surface is slightly elevated relative to the level of desk surface to prevent liquids from spilling onto the floor. 3D edge allows laboratory tables to align next to each other smoothly.



Laboratory table

One Key System



Staff use key / Key core • Staff use key, key core (1ea) : XX1901~1950 NL Staff use key (1group) : XX1901K~1950K NL SYSTEM *Separate order required (notify quantity needed).

Convenient locking system with a single key operates all locking devices, including cabinet and drawers. The flexi-key is specially designed to turn smoothly, protecting both the user and stored equipment.

Products

Table

1200 wall unit laboratory table







Open type **USC112** 1215.600.800

Open + Drawer type Door type **USC112P** 1215.600.800 USC112B 1215.600.800



1600 wall unit laboratory table



Open type **USC116** 1620.600.800



Open + Drawer type A USC116P 1620.600.800



USC116PZ 1620.600.800



Door + Drawers type B USC116BPZ 1620.600.800

Wall unit laboratory table

Details



Chemsurf (Chemical resistant HPM)

Fursys Education laboratory products, including workstation, sink and side cabinet, are coated with chemical resistant HPM to prevent discoloration and damage despite continued exposure to chemicals.

What is Chemsurf?

Chemsurf is a chemical resistant material that is used in hospitals, schools and laboratories. It is resistant to over 100 chemicals and is scratch-resistant. It prevents the growth of bacteria, staphylococcus, streptokinase, colon bacillus and pneumococcus (acquisition of ASTM G-22, American Laboratory Experiment Association).





Door type **USC116B** 1620 · 600 · 800



Door + Drawers type A USC116BP 1620.600.800





Colors









CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



Handle

Elegant, metallic aluminum-die casting handles are built in for safety. table provide additional storage

Storage space


Open shelves on the lower side of space.





2004 Good Design Korea Award

CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



Corrosion-resistant, stainless-steel sinks with chrome-finish handles ensure that sinks stay intact despite hours of washing up laboratory equipment.





Spacious, durable stainless-steel sink Easy-to-use lever tap has a chrome- Elegant, metallic aluminum die allows easy wash-up of experimental finish for enhanced durability. devices.

Products





600 sink USC106K 600 · 600 · 750 **USC106KH** 600.600.800 900 sink

Sink





Handle casting handles are built in for safety.

CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



USC109K 900 · 600 · 750 **USC109KH** 900.600.800



Wall unit sink **USC112K** 1215.600.800 Colors

Surface	Body / Door
EG	LG
EW	BE





Storage

CÔNG TY TNHH TM&DV ALPHA QUỐC TẾ CUNG CẤP NỘI THẤT PHÒNG THÍ NGHIỆM FURSYS HÀN QUỐC WEBSITE: WWW.ALPHAQUOCTE.VN - HOTLINE: 091.611.3838



user convenience.



Soft closing door of stored items and reduces noise.

Products

Details

3-story cabinet









Wood door **USC083B** 800 · 410 · 1030

USC083ZB 800.570.1030

6-story cabinet

USC083A 800 · 410 · 1030

USC083ZA 800.570.1030

AL door



Upper, lower AL door

USC086A 800 · 410 · 1950

USC086ZA 800 · 570 · 1950



Upper : AL door / Lower : wood door USC086B 800 · 410 · 1950 USC086ZB 800 · 570 · 1950





Fursys Education cabinet comes in a wide range, for a variety of uses and layouts. All products come with One-Key System locking device for safety and

One key system

Soft Closing Door prevents damage Convenient locking system with a single key operates all locking devices, including cabinet and drawers. The flexi-key is specially designed to turn smoothly, protecting both the user and

- stored equipment.



Aluminum frame door Metallic aluminum frame glass door is highly durable and eye-pleasing.

* Separate order required (notify quantity needed).

Upper cabinet



AL door **USC781A** 800.410.450 USC781ZA 800 · 570 · 450



Wood door **USC781B** 800 · 410 · 450 **USC781ZB** 800 · 570 · 450







Full AL door **USC086C** 800 · 410 · 1950 **USC086ZC** 800 · 570 · 1950





All the products in this catalog are protected by industrial property rights and reproduction is prohibited.

- This catalog has been printed; hence the colors of products shown may differ to actual product colors.
- The details listed in this catalog may change with ongoing research and product development.
- The details and designs in this catalog may not be reproduced in part or in total, without prior agreement from Fursys Co.
 All the products in this catalog are manufactured in metric units. The item specifications can vary slightly,

when converting from mm to inches.





